

W241-05

NOTES:

MATERIALS:

- MEMBRANE (ANSI-2.1.8)-15 lb. ROOFING FELT OR 4-mil POLYETHYLENE FILM (REQUIRED IN WET AREAS ONLY).
- PORTLAND CEMENT-ASTM C150 TYPE 1.
- LIME-ASTM C206 TYPE S OR ASTM C270 TYPE S.
- SAND-ASTM C144.
- WATER-POTABLE.
- SCRATCH COAT-1 PART PORTLAND CEMENT, 1/2 PART LIME, AND 4 PARTS DRY SAND TO 5 PARTS DAMP SAND OR 1 PART PORTLAND CEMENT, 3 PARTS DRY SAND TO 4 PARTS DAMP SAND.
- MORTAR BED-1 PART PORTLAND CEMENT 1/2 PART LIME AND 5 PARTS DAMP SAND UP TO 1 PART PORTLAND CEMENT, 1 PART LIME AND 7 PARTS DAMP SAND, BY VOLUME.
- DRY-SET MORTAR-ANSI A118.1.
- LATEX-PORTLAND CEMENT MORTAR-ANSI A118.4.
- METAL LATH-GALVANIZED OR PAINTED EXPANDED METAL LATH 3.4 lbs./sq. yd. DO NOT USE RIB LATH.
- METAL STUDS-ASTM C645.
- GROUT-ANSI A118.6 OR A118.7.

INSTALLATION SPECIFICATIONS:

- CURED MORTAR BED-ANSI A108.1B.
- TILE-ANSI A108.5.
- GROUT-ANSI A108.10.

SCALE: 1 1/2"=1'-0"

13

SCALE: 3"=1'-0"

10

SCALE: 3"=1'-0"

7

SCALE: 3"=1'-0"

4

SCALE: 1"=1'-0"

1

SCALE: NONE

17

SCALE: 1 1/2"=1'-0"

14

NOTE: SEE PLANS & ELEVATIONS FOR LENGTH & POSITION OF GRAB BARS

SCALE: 3"=1'-0"

11

SCALE: 3"=1'-0"

8

SCALE: 3"=1'-0"

5

SCALE: 1"=1'-0"

2

SCALE: 6"=1'-0"

15

SCALE: NONE

12

SCALE: 3"=1'-0"

9

SCALE: 3"=1'-0"

6

SCALE: 1"=1'-0"

3

inc.

ALEXANDER + HIBBS, AIA, INC.

Architecture and Planning

1200 N. JEFFERSON ST. SUITE A
ANAHEIM, CALIFORNIA 92807
(714) 630-3686

PLANS PREPARED BY:

WILLDAN
Landscape architecture

13191 CROSSROADS PARKWAY NORTH, SUITE 405
INDUSTRY, CA 91746-3497
(562) 908-6200

UNDER THE SUPERVISION OF:

05/04/12

BENCH MARK:

NO. _____ ELEV. _____

DATE ADJ. _____ QUAD. _____

SEE TOPOGRAPHIC SURVEY MAP
ROBERT RYAN PARK
PREPARED BY
MCGEE SURVEYING CONSULTING
805.964.3520

REVISIONS

NO.	DESCRIPTION	APP.	DATE

CITY OF RANCHO PALOS VERDES

**RYAN PARK RESTROOMS IMPROVEMENT
AND ACCESSIBILITY COMPLIANCE**

DETAILS

DRAWN BY :	SHT. 14 OF 20 SHTS	PLAN NO.
DESIGNED BY :		A-5.1
CHECKED BY :		